


CYLINDRISCHE VOUWBALG



Afmetingen in mm

BESTELNUMMER	AANSLUITMAAT (D1/D2)	L-min	L-max
321001-0389 >>	14/26	20	80
321001-0789 >>	15	15	50
321001-0373 >>	15	50	180
321001-1149 >>	18/54	30	130
321001-0642 >>	19/38	80	310
321001-0672 >>	20	10	30
321001-1034 >>	20	15	45
321001-1059 >>	20	20	100

Vormafwijkingen t.o.v. de afbeelding mogelijk

CYLINDRISCHE VOUWBALG

BESTELNUMMER	AANSLUITMAAT (D1/D2)	Afmetingen in mm	
		L-min	L-max
321001-0109 >>	20	40	135
321001-1556 >>	20/34	40	130
321001-0863 >>	20/36	30	70
321001-0813 >>	22/24	60	160
321001-1228 >>	22/36	20	70
321001-0202 >>	22/49	35	170
321001-0842 >>	24/32	60	180
321001-0573 >>	24/35	60	280
321001-0767 >>	25	15	60
321001-0858 >>	25	30	110
321001-0854 >>	25	70	175
321001-0282 >>	25	100	300
321001-0620 >>	25/45	80	350
321001-1011 >>	26/42	30	150
321001-0756 >>	28/35	100	350
321001-0871 >>	28/40	20	50
321001-0760 >>	28/40	20	90
321001-0944 >>	28/48	20	60
321001-0243 >>	29/36	60	230
321001-0528 >>	30	30	140
321001-0527 >>	30	40	200
324001-0091 >>	30	140	500
321001-0355 >>	30/40	20	60
321001-0258 >>	30/40	35	150
324001-0265 >>	30/45	80	440
321001-0907 >>	30/50	30	170
321001-0136 >>	30/60	20	60
321001-0231 >>	31/69	60	270
321001-0582 >>	32/40	20	80
321001-0395 >>	32/40	90	210
321001-1468 >>	32/45	30	170
321001-0504 >>	34/78	90	220
321001-1315 >>	35	20	50
321001-0382 >>	35	40	180
324001-0322 >>	38/53	60	300
321001-0375 >>	39/84	50	250
324001-0246 >>	39/84	140	550
321001-0962 >>	40	20	90
321001-0318 >>	40	25	120
321001-0614 >>	40	25	130
321001-0781 >>	40	35	210
321001-0348 >>	40	55	350
321001-0688 >>	40	80	420
321001-1098 >>	40/50	40	180
321001-0198 >>	40/54	40	140
324001-0296 >>	40/55	110	400
321001-0261 >>	40/60	20	70
321001-0029 >>	40/60	40	230
321001-0107 >>	40/60	60	260
321001-0669 >>	40/60	60	320

CYLINDRISCHE VOUWBALG

BESTELNUMMER	AANSLUITMAAT (D1/D2)	Afmetingen in mm	
		L-min	L-max
321001-1552 >>	43/68	70	300
321001-0050 >>	44/50	40	150
324001-0563 >>	44/50	70	350
321001-0090 >>	45	20	60
321001-0331 >>	45	30	180
321001-0215 >>	45	50	270
324001-0540 >>	45	130	650
324001-0968 >>	45/60	220	600
321001-0925 >>	45/67	30	160
324001-0353 >>	45/70	120	430
321001-0442 >>	46/58	30	100
324001-0074 >>	49/80	80	370
321001-0361 >>	50	15	60
321001-1326 >>	50	25	60
321001-0641 >>	50	30	160
321001-0751 >>	50	50	240
324001-0191 >>	50	90	420
324001-0176 >>	50	210	700
324001-0452 >>	50	250	1000
321001-0500 >>	50/60	80	350
324001-0624 >>	50/66	140	650
324001-0299 >>	50/90	70	320
321001-0227 >>	51/75	110	350
321001-0096 >>	52/56	60	240
321001-0422 >>	55	20	60
321001-0860 >>	55	40	130
321001-0251 >>	55	30	150
324001-1887 >>	55	80	380
321001-0566 >>	55/65	20	100
321001-0447 >>	55/75	60	250
324001-0293 >>	55/85	70	350
321001-0056 >>	58/78	40	140
321001-0851 >>	60	40	65
321001-0525 >>	60	20	100
321001-0817 >>	60	25	150
321001-0444 >>	60	45	230
321001-1069 >>	60	95	300
324001-0918 >>	60	100	450
324001-0466 >>	60	110	540
324001-0572 >>	60	130	700
324001-1030 >>	60/65	110	500
321001-0492 >>	60/72	30	170
321001-0135 >>	60/74	30	150
324001-0820 >>	60/80	140	600
321001-0254 >>	60/84	60	210
324001-1377 >>	60/88	90	290
324001-1094 >>	62/84	80	280
324001-0206 >>	64/125	50	270
321001-0796 >>	65	20	120
321001-1186 >>	65	25	190

CYLINDRISCHE VOUWBALG

BESTELNUMMER	AANSLUITMAAT (D1/D2)	Afmetingen in mm	
		L-min	L-max
321001-0785 >>	65	60	220
324001-0798 >>	65	85	380
324001-0918 >>	65	100	450
321001-0741 >>	66/76	30	130
321001-1100 >>	68/97	40	150
321001-1040 >>	70	25	70
321001-0024 >>	70	30	150
321001-1338 >>	70	40	175
324001-0406 >>	70	60	220
324001-0297 >>	70	130	500
321001-1090 >>	75	20	80
321001-0246 >>	75	35	170
324001-1351 >>	75	60	310
324001-0093 >>	75	90	380
321001-0352 >>	75/85	20	90
324001-0564 >>	75/90	140	630
321001-0826 >>	78/130	40	140
321001-1260 >>	80	20	60
321001-1029 >>	80	20	100
321001-1406 >>	80	25	130
321001-0341 >>	80	30	160
321001-0691 >>	80	35	250
324001-0096 >>	80	90	300
324001-0230 >>	80	120	550
324001-0609 >>	80/120	80	330
324001-0656 >>	85	25	100
321001-0341 >>	85	30	160
321001-1057 >>	85	50	280
324001-0313 >>	85	100	300
324001-0868 >>	85	90	410
324001-1484 >>	85/150	130	520
321001-0908 >>	86/105	60	150
324001-0351 >>	86/110	20	140
324001-0587 >>	88/90	90	250
321001-1227 >>	90	20	125
324001-1599 >>	90	55	260
324001-0460 >>	90	90	420
324001-1974 >>	90/120	50	280
324001-0481 >>	90/133	100	450
321001-1238 >>	95	20	100
324001-0347 >>	95	30	210
324001-0789 >>	95/115	40	250
324001-0085 >>	95/125	50	200
324001-0939 >>	97/110	50	240
324001-1139 >>	99/124	70	350
324001-0317 >>	100	20	70
324001-0961 >>	100	25	140
324001-0367 >>	100	35	240
324001-1879 >>	100	75	500
324001-1635 >>	100	160	600

CYLINDRISCHE VOUWBALG

BESTELNUMMER	AANSLUITMAAT (D1/D2)	Afmetingen in mm	
		L-min	L-max
321001-1214 >>	100/120	70	190
324001-0569 >>	100/140	30	150
324001-1450 >>	102/125	70	210
324001-1273 >>	105	20	60
321001-0468 >>	105	25	100
324001-0094 >>	105	45	250
324001-0174 >>	105	90	500
324001-1856 >>	108/150	20	170
324001-1757 >>	108/150	40	250
324001-1201 >>	110	25	135
324001-0507 >>	110	80	350
324001-1612 >>	110	95	420
321001-0651 >>	115/132	40	100
321001-1360 >>	120	10	40
324001-0972 >>	120	30	250
324001-0254 >>	120	90	400
324001-0694 >>	130	25	150
324001-0741 >>	130	60	380
321001-1071 >>	140	25	90
321001-1322 >>	140	20	110
324001-1921 >>	140	40	200
324001-0097 >>	150	20	120
324001-0881 >>	150	35	250
324001-1545 >>	150	80	340
324001-0393 >>	150	100	650
324001-0870 >>	150/170	60	210
321001-0973 >>	160	20	100
324001-1701 >>	160	30	140
324001-0275 >>	160	80	250
324001-0231 >>	170	100	405
324001-0431 >>	180	30	120
324001-1218 >>	180	50	210
324001-1018 >>	180	90	645
324001-1113 >>	180/200	30	120
324001-0471 >>	190/200	50	330
324001-1920 >>	200	20	80
324001-0474 >>	200	20	90
324001-0478 >>	200	30	160
324001-0267 >>	200	40	240
324001-1922 >>	220	25	220
324001-1165 >>	220	40	280
324001-1906 >>	240	45	200
324001-0920 >>	270	20	80
324001-0124 >>	270	50	140
324001-1344 >>	320	20	90
324001-0377 >>	320	50	400
324001-0899 >>	370	30	150
324001-1919 >>	370	65	320
324001-1238 >>	410	30	110